

AFCONA-K261-14



Chemical Composition

Solution of silicone free high molecular weight polymer.

Product general description

AFCONA-K261-14 is a non-silicone defoamer for solvent-based resin systems.

Product properties

AFCONA-K261-14 effectively reduces bubbles during processing stages, thereby enabling coatings or profiles to achieve a smooth surface. It efficiently eliminates both surface and internal bubbles of the products, enhancing the compactness and aesthetic properties of coatings and manufactured products.

AFCONA-K261-14 can effectively address internal defoaming challenges in filler systems. It is recommended for all kinds of unsaturated polyester, acrylic and vinyl ester resin systems, especially for unsaturated polyester resin systems.

Product Specification

Solvent	Hydrocarbon solvent
Density	0.87 - 0.91g/cm ³ (20°C)
Refractive index	1.503 - 1.523 (25°C)
Flash point	43°C
Appearance	Colourless to slightly yellow liquid (25°C)

Addition and dosage

0.2 - 1.0% on total formulation.

Incorporation

AFCONA-K261-14 can be incorporated during any stage of the production process. Shear force is required to ensure homogeneous mixing.

Storage

AFCONA-K261-14 shall be stored in cool and dry place away from direct sunlight. Shelf-life is 5 years from the date of manufacturer, if kept in original and unopened container. The expiring date is indicated on the package.

Packaging

20kg and 170kg non-returnable containers

For product safety information: please take reference of SDS.

AFCONA ADDITIVES

Web Site : www.afcona.com

This information and all further technical advice are based on our present knowledge and experience. In particular, no warranty, whether express or implied, or guarantee of product properties in the legal sense is intended or implied. Performance of the product described herein should be verified by testing, which should be carried out only by qualified experts in the sole responsibility of a customer. However, it implies no liability or other legal responsibility on our part, including with regard to existing third party intellectual property rights, especially patent rights. Reference to trade names used by other companies is neither a recommendation, nor does it imply that similar products could not be used. We reserve the right to make any changes according to science and technological progress or further developments.

This version replaces all previous ones.